

TABULA TABLES - TEX 10

— By Alegre Design —





■ DESCRIPTION

Linking plate to fix column to surface:

- **Board surface:** Moulded aluminium plate

- **Glass surface:** Steel plate fixed to the glass top

Frame is formed by an extruded aluminium leg 2 mm thick and a moulded aluminium round base. Antiskid levellers to avoid problems with irregular floors. Two different heights: 73 cm or 43 cm

① Linking plate fixing the top to the column


② Work tops available in different finishes and colours

③ Extruded aluminium 2 mm thick


④ Ø 58 cm steel base, 5 mm thick



Central leg, extruded aluminium 2 mm thickness



Fixing plate linking the column to the surface



Base detail and anti-skid Polypropylene glides

■ FRAME




White coating



Silver coating

■ DIMENSIONS



■ FINISHES (see table of finishes)

MFC (25 mm)



C. Laminate (13 thick)



Glass





MATERIALS

Maximum use of materials to eliminate and minimize scraps. Use of recyclable and recycled materials in those components that do not affect the functionality and durability.

83,59%

RECYCLED
MATERIALS



PRODUCTION

Maximum optimization of energy use. Minimal environmental impact. Last generation technological systems. Zero discharge of wastewater. No VOC coatings. Processes free of heavy metals, phosphates, OC and COD.

100%

RECYCLABLE
ALUMINIUM, STEEL
& WOOD



TRANSPORT

Detachable systems. Volumes that facilitate the optimization of space. Maximum reduction of energy consumption by transport.

100%

RECYCLABLE
PACKAGE AND THINNER
FREE



USE

Quality and warranty. Long lasting. Replacements available.

EASY

TO CLEAN
AND MAINTAIN



DISPOSAL

Waste reduction. Supplier-manufacturer packaging reuse system. Components are easy to be separated. Inks in packaging are water-based, without solvents.

97,83%

RECYCLABLE
MATERIALS

CERTIFICATES AND REFERENCES

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).



The mark of
responsible forestry



EN ISO 14006:2011
ECODESIGN Certificate



UNE-EN ISO 9001:2008
ISO 9001 Certificate



UNE-EN ISO 14001:2004
ISO 14001 Certificate



E1 Certificate
by EN 13986



California 93120
Compliant Formaldehyde Phase 2



ACTIU TECHNOLOGY PARK
LEED® PLATINUM certified by USGBC
Leadership in Energy & Environmental Design
LEED® Gold certified 2011 - LEED® Platinum certified 2017

STANDARDS


TEX 10 has passed tests done in our technical department as well as the tests done in **AIDIMA** the Technological Institute for furniture. The tests correspond to **UNE** standards and office desks:

- **UNE: EN 527-1:2011.** Office Furniture. Desks. **Part 1:** Dimensions.
- **UNE: EN 527-2:2003.** Office Furniture. Desks. **Part 2:** Mechanical security requirements.
- **UNE: EN 527-3:2003.** Office Furniture. Desks. **Part 3:** Test to determine stability and structure resistance.
- **UNE: EN 15372:08.** Office Furniture. Strength, durability and safety. Requirements for domestic use desks. Office Furniture. Desks. **Part 2:** Strength, durability and safety.
- **UNE: EN 1730:13.** Furniture. Tables. Test methods for the determination of stability, strength and durability.
- **UNE: EN14073-2:05.** Office furniture. Tables and desks and storage furniture. Safety requirements.
- **UNE: EN 14073-3:05.** Office furniture. Tables and desks and storage furniture. Test methods for the determination of stability and strength of the structure.
- **UNE: EN 14074:05.** Office furniture. Tables and desks and storage furniture. Test methods for the determination of strength and durability of moving parts.

TÁBULA TABLES - TAR 10

— By Actiu —





① **Work tops** available in MFC (25mm) or Compact laminate (13mm) in different colours


② Aluminium **Column** 60 mm diameter and 2 mm thickness

③ **Base:** Steel Base 45 mm diameter and 8 mm thickness. Epoxy finish. Round shape.


④ **3 different Heights:**
 - 40 cm. height Tables
 - 74 cm. height Tables
 - 110 cm. height Tables

⑤ **Levellers** with anti-skid pads


■ BASES



Silver epoxy finish




White epoxy finish



Black epoxy finish

■ TÁBULA TABLES TAR-10



■ FINISHES (see table of finishes)

MFC (25 mm)




00 WHITE



11 LIME OAK



10 LIGHT OAK



07 CHESTNUT



14 DARK OAK



03 BLACK

Compact Laminate (13 mm)



30 WHITE



38 BLACK



MATERIALS

Maximum use of materials to eliminate and minimize scraps. Use of recyclable and recycled materials in those components that do not affect the functionality and durability.

83,59%
RECYCLED
MATERIALS



PRODUCTION

Maximum optimization of energy use. Minimal environmental impact. Last generation technological systems. Zero discharge of wastewater. No VOC coatings. Processes free of heavy metals, phosphates, OC and COD.

100%
RECYCLABLE
ALUMINIUM, STEEL
& WOOD



TRANSPORT

Detachable systems. Volumes that facilitate the optimization of space. Maximum reduction of energy consumption by transport.

100%
RECYCLABLE
PACKAGE AND THINNER
FREE



USE

Quality and warranty. Long lasting. Replacements available.

EASY
TO CLEAN
AND MAINTAIN



DISPOSAL

Waste reduction. Supplier-manufacturer packaging reuse system. Components are easy to be separated. Inks in packaging are water-based, without solvents.

97,83%
RECYCLABLE
MATERIALS

CERTIFICATES AND REFERENCES

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).



The mark of
responsible forestry



EN ISO 14006:2011
ECODESIGN Certificate



UNE-EN ISO 9001:2008
ISO 9001 Certificate



UNE-EN ISO 14001:2004
ISO 14001 Certificate



California 93120
Compliant Formaldehyde Phase 2



ACTIU TECHNOLOGY PARK
LEED® PLATINUM certified by USGBC
Leadership in Energy & Environmental Design
LEED® Gold certified 2011 - LEED® Platinum certified 2017

TABULA TABLES - TAR 20

— By Actiu —





Tábula TAR 20 tables have been designed to be used with indoor or outdoor (using **C. Laminated tops**), thanks to its aluminium frame (base, column and desk support), which provides a resistant outdoor table.

- ① **Work tops** available in Melamine (25mm) Compact Laminate (13mm) or laminated security glass (5+5 mm), round shape edge
- ② Aluminium central **column** 60mm diameter and 2mm thickness
- ③ **Base:** Ø 67,5 cm, with 4 cross supports, made of aluminized finish aluminum, white, orange, blue, black and black-polished.
The support arms have antiskid pad.
Optional: Ø45 mm diameter castor with rolling teflon. Black finish.
- ④ **3 different Heights:**
 - 40 cm. height Tables
 - 74 cm. height Tables
 - 110 cm. height Tables
- ⑤ **Levellers** with anti-skid pads

BASES



White Steel Cylinder Tube
Die Casted Aluminium base with a 4 star shape. White finish - Ø 67,5 cm
- Anti-skid pads



Silver Steel Cylinder Tube
Die Casted Aluminium base with a 4 star shape. Silver finish - Ø 67,5 cm
- Anti-skid pads



Orange Steel Cylinder Tube
Die Casted Aluminium base with a 4 star shape. Orange finish - Ø 67,5 cm
- Anti-skid pads



Blue Steel Cylinder Tube
Die Casted Aluminium base with a 4 star shape. Blue finish - Ø 67,5 cm
- Anti-skid pads




Black Steel Cylinder Tube
Die Casted Aluminium base with a 4 star shape. Black finish - Ø 67,5 cm
- Anti-skid pads




Black Steel Cylinder Tube
Die Casted Aluminium base with a 4 star shape. Polished finish - Ø 67,5 cm
- Anti-skid pads

TÁBULA TABLES TAR-20



FINISHES (see table of finishes)

MFC (25 mm)




00 WHITE



11 LIME OAK



10 LIGHT OAK



07 CHESTNUT




14 DARK OAK



03 BLACK



Compact Laminate (13 mm)



30 WHITE



38 BLACK

Glass



50 FROSTED



52 WHITE



59 BLACK



OPTIONAL:
Ø45 mm diameter castor with rolling teflon.
Black finish
*All meeting tables with castors will increase height in 35mm.



MATERIALS

Maximum use of materials to eliminate and minimize scraps. Use of recyclable and recycled materials in those components that do not affect the functionality and durability.

15,14%
RECYCLED
MATERIALS



PRODUCTION

Maximum optimization of energy use. Minimal environmental impact. Last generation technological systems. Zero discharge of wastewater. No VOC coatings. Processes free of heavy metals, phosphates, OC and COD.

100%
RECYCLABLE
ALUMINIUM, STEEL
& WOOD



TRANSPORT

Detachable systems. Volumes that facilitate the optimization of space. Maximum reduction of energy consumption by transport.

100%
RECYCLABLE
PACKAGE AND THINNER
FREE



USE

Quality and warranty. Long lasting. Replacements available.

EASY
TO CLEAN
AND MAINTAIN



DISPOSAL

Waste reduction. Supplier-manufacturer packaging reuse system. Components are easy to be separated. Inks in packaging are water-based, without solvents.

51,97%
RECYCLABLE
MATERIALS

CERTIFICATES AND REFERENCES

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).



ACTIU TECHNOLOGY PARK
LEED® PLATINUM certified by USGBC
Leadership in Energy & Environmental Design
LEED® Gold certified 2011 - LEED® Platinum certified 2017

TABULA TABLES - TAR 30

— By Actiu —






- 1 **Work tops** available in Melamine (25mm) Compact Laminate (13mm) or laminated security glass (5+5 mm), round shape edge
- 2 Steel **Column** 76 mm diameter and 2 mm thickness
- 3 **Base:** Aluminium Die Casting Bases, Ø58 or Ø66 cm, silver, white and black. The base have an anti-skid pad.
- 4 **3 different Heights:**
 - 40 cm. height Tables
 - 74 cm. height Tables
 - 110 cm. height Tables
- 5 **Optional Connectivity:** TALL models with melamine and phenolic surfaces can optionally incorporate integrated connection access to the table surface with a plug.




- 6 **Levellers** with anti-skid pads


BASES



Silver Steel Cylinder Tube
Die Casted Aluminium base, silver finish - Anti-skid pads




White Steel Cylinder Tube
Die Casted Aluminium base, white finish - Anti-skid pads



Black Steel Cylinder Tube
Die Casted Aluminium base, black finish - Anti-skid pads

TÁBULA TABLES TAR-30



FINISHES (see table of finishes)

MFC (25 mm)



00 WHITE

11 LIME OAK

10 LIGHT OAK

07 CHESTNUT

14 DARK OAK

03 BLACK

Compact Laminate (13 mm)



30 WHITE

38 BLACK

Glass



50 FROSTED

52 WHITE

59 BLACK



MATERIALS

Maximum use of materials to eliminate and minimize scraps. Use of recyclable and recycled materials in those components that do not affect the functionality and durability.

15,74%
RECYCLED
MATERIALS



PRODUCTION

Maximum optimization of energy use. Minimal environmental impact. Last generation technological systems. Zero discharge of wastewater. No VOC coatings. Processes free of heavy metals, phosphates, OC and COD.

100%
RECYCLABLE
ALUMINIUM, STEEL
& WOOD



TRANSPORT

Detachable systems. Volumes that facilitate the optimization of space. Maximum reduction of energy consumption by transport.

100%
RECYCLABLE
PACKAGE AND THINNER
FREE



USE

Quality and warranty. Long lasting. Replacements available.

EASY
TO CLEAN
AND MAINTAIN



DISPOSAL

Waste reduction. Supplier-manufacturer packaging reuse system. Components are easy to be separated. Inks in packaging are water-based, without solvents.

51,97%
RECYCLABLE
MATERIALS

CERTIFICATES AND REFERENCES

The different programmes get points in different environmental categories to get the LEED certificate (sustainability, material and resources, water, energy and atmosphere, inner environment quality, innovation and design).



The mark of
responsible forestry



EN ISO 14006:2011
ECODESIGN Certificate



UNE-EN ISO 9001:2008
ISO 9001 Certificate



UNE-EN ISO 14001:2004
ISO 14001 Certificate






California 93120
Compliant: Formaldehyde Phase 2



ACTIU TECHNOLOGY PARK
LEED® PLATINUM certified by USGBC
Leadership in Energy & Environmental Design
LEED® Gold certified 2011 - LEED® Platinum certified 2017

TABULA tables are a canteen and meeting tables program. These tables can be used on several environments due to its different models and styles.

Tabula offers a wide range of size and different base options to use them in canteens, small meeting points, break out areas or informal meeting/working areas. Table tops are available in glass, MFC and Compact Laminated, and both round or squared shaped with a round central column in steel allowing 3 different types of bases: round steel, round aluminium or cross aluminium.

	TAR10 TABULA TABLES	TAR20 TABULA TABLES	TAR30 TABULA TABLES
			
Base	Ø40 or Ø45 cm base made of 8mm thick Steel. Available in White, Silver and Black.	Ø 67,5 cm base with 4 support points on a cross base made of injected aluminium. Available in White, Silver, Black, Blue, Orange and Polished.	Ø 58 cm or Ø 66 cm base made of injected aluminium. Available in White, Silver, Black and Polished.
Supports	Levellers with anti-skid pads.	Levellers with anti-skid pads. Optional: 45mm diameter black castors with Teflon tyre thread.	Levellers with anti-skid pads.
Column	Ø 60mm central column made of 2mm thick aluminium. Available in White, Silver and Black.	Ø 60mm central column made of 2mm thick aluminium. Available in White, Silver, Blue, Orange and Black.	Ø 76mm central column made of 2mm thick aluminium. Available in White, Silver and Black.
Table top	25mm thick MFC tops and 13mm thick Compact Laminated top	25mm thick MFC tops, 13mm thick Compact Laminated top or 5+5mm thick security laminated glass with rounded edges.	25mm thick MFC tops, 13mm thick Compact Laminated top or 5+5mm thick security laminated glass with rounded edges
Height	40 cm / 74 cm / 110 cm	40 cm / 74 cm / 110 cm	40 cm / 74 cm / 110 cm
Outdoor table	---	Aluminium base, column and desk support to allow TAR20 to be used outdoor. Desk top required for an outdoor use: Compact Laminate.	---
Connectivity options	---	---	Electrification system in highlighted models with optional plugs or USB connections. Only available on MFC and Compact Laminated tops.



TAR10 TABULA TABLES

Steel Base
Ø40 / Ø45 cm

Steel column Ø60 mm

TAR20 TABULA TABLES






































Injected Aluminium base
Ø67,5 cm

Aluminium column Ø60 mm

TAR30 TABULA TABLES

Injected Aluminium base
Ø58 / Ø66 cm

Steel column Ø76 mm

	TABLE TOP	MFC	C. LAMINATE	GLASS	MFC	C. LAMINATE	GLASS	MFC	C. LAMINATE	GLASS
74 cm HEIGHT	 Ø60 cm									
	 Ø80 cm									
	 Ø100 cm									
	 Ø120 cm									
	 60x60 cm									
	 70x70 cm									
	 80x80 cm									
	 90x60 cm									
	 140x70 cm									
110 cm HEIGHT	 Ø60 cm									
	 Ø80 cm									
	 Ø100 cm									
	 60x60 cm									
40 cm HEIGHT	 Ø60 cm									
	 Ø80 cm									
	 Ø100 cm					