

A private meeting room in an instant

Duo helps you to connect, collaborate and focus in private.



Increase your productivity by 25%



Soundproof

Keep your conversations private while keeping background noise out.



Made by Silen

Made by the team behind Silen Space, the Chatbox is a simplified version of our most popular phone booth, leaving only the essential purpose in its simplest functional form.



Ventilation

Chatbox uses a technology that keeps the booths ventilated, ensuring fresh air throughout your time spent inside.



Quick assembly

It takes about an hour for two people to assemble.

Simple assembly, simple choices

Dark beauty

Black offers a striking visual accent and attracts attention.

Left- and right-handed door in one

You can change the door handedness at any time.



Bright oasis

White is an elegant and unobtrusive choice for light-toned rooms.


Accessories? Check.

Whiteboard and screen brackets with cable management are available for Chatbox.


Your new normality

Duo

A space to focus on your own or make uninterrupted phone calls.



A silent space for creativity to flourish



Affordable, yet sleek

Direct from our factory to you, Chatbox is shipped flat-packed, making it more affordable than other phone booths.

2 people + 1 hour









No installer needed to set up Chatbox. Just call your friend for a little help. Done!

Durable means sustainable

Well thought-out form, construction, and choice of material allows for extended durability. In addition, easy assembly and disassembly allow you to take it to your next office space.

Duo Tech specs

GENERAL PRODUCT INFO

Exterior size (W×H×D)	213 × 222 × 103 cm 83.9 × 87.4 × 40.4 in	
Interior size (W×H×D)	200 × 204 × 93 cm 78.7 × 80.3 × 36.5 in	
Weight (net)	550 kg / 1212.5 lb	
Sound reduction	34 db (on-site measurements in accordance with ISO 16283-1)	
Door handedness	left- and right-handed door in one	
Exterior colors	<div>Standard colors:</div> <div><div> Black (RAL9011)</div><div> White (RAL9003)</div></div> <div>Colour collection for additional price:</div> <div><div> Misty Creek (RAL6033)</div><div> Evergreen (RAL6020)</div><div> Estonian Mustard (RAL 1024)</div><div> Charming Smoke (RAL 7039)</div><div> Sangria (RAL 4002)</div><div> Ocean Tide (RAL 5003)</div></div>	
Interior color	dark grey	
Air ventilation	low consumption air circulation system (max 5.1 W)	
Air flow	air circulation speed is more than 55 l/s (198 m ³ /h) (117 ft ³ /min)	
Lighting	energy-efficient LED light (28 W, 4000 K, 2240 lm)	
Power outlets	2 × 110–240 V + 2 × USB 5V	
Power cord	3 m / 9 ft 10 in	
Exterior material	painted sheet metal	
Glass	sound control laminated safety glass	
Floor	antistatic and stain resistant low loop pile carpet for public spaces, EN 1307	
Acoustic surfaces	acoustic EchoFree panel	
Adjustable glides	for easy leveling from inside the booth	

ACCESSORIES

Whiteboard	magnetic laminate surface
Screen bracket	universal bracket in accordance with VESA standard, for up to 32" screen (screen not included)
Booking bracket	bracket for a tablet (tablet and booking system not included)
VC ready	readiness for video conferencing system (includes only necessary ports and brackets)
VC system	video conferencing system with screen bracket (excl. screen)

Duo Tech specs

FURNISHING OPTIONS

Sofa set	Have private meetings in comfort and silence
----------	--

Default	low-back sofas, 2 pcs
Fabric	POD CS, 9281 Antracit
Fabric color	light grey/dark grey/black
Table	Integrated table with white antibacterial laminate Table size 500 × 716 mm 19,7 × 28,2 in Movable laptop tables with black melamine finish



Workstation	Turn privacy into productivity with Duo Workstation
-------------	---

Table	Height adjustable table with white antibacterial laminate
Power outlets	Additional 110-240 V power outlet on the wall
Screen bracket	universal bracket with cable management (optional)



* Chair not included