
Framery Four™



The smart and soundproof office meeting pod shaping the workspace of tomorrow





Framery Four is a smart office meeting pod for up to 4 people. This multifunctional soundproof meeting space is engineered for face-to-face meetings and hybrid work from the office. Fine-tuned acoustics and soundproofing provides privacy for discussions and virtual calls. Framery Four's adaptive ventilation and automated lighting let you focus on what really matters and have a successful workday.

Framery Four / Product highlights





Workdays that flow with ease

Framery Four has been purposefully designed to make your workdays flow better. Find and book the pod in advance or on-the-fly from the Framery app. Or step inside and the pod automatically creates a reservation for you. Extend your reservation directly from the pod's touchscreen, or adjust your booking through the app.



Privacy you can trust

The fine-tuned acoustic structure provides A-Class soundproofing that allows the pod to be placed next to workstations without causing noise distractions to the user or to those outside of the pod. And echo-free interior acoustics make the pod a private, comfortable place for work and video calls.



Airflow that keeps you fresh

The pod recognizes when it's occupied, senses the temperature and humidity of the surroundings, and triggers adjustments to the airflow accordingly. Enhanced ventilation fully refreshes the air every minute, and ventilation can be easily adjusted through the pod's touchscreen display.




Lighting that makes you feel good

Multiple automated light sources adapt to your needs, with preset lighting options to choose between work or video modes. Video-optimized lighting helps you shine on video calls. Adjustments can be made quickly and easily through the touchscreen display.



Framery Four / Tech features



1. A-CLASS SOUNDPROOFING

Guaranteed privacy with fine-tuned Class A speech level reduction of 30dB – and the industry's top ISO 23351-1 rating for office phone booths.

2. FRAMERY OFFICE SOUND MASKING SYSTEM™

The embedded system is based on patent-pending technology that reduces noise distractions and protects speech privacy in office environments by adding a subtle, unobtrusive background sound outside of the pod. This ambient background noise, similar to air flow, is specifically designed to blend in with the office's noise atmosphere – making sounds less intelligible and therefore less distracting.

3. ADAPTIVE VENTILATION

Proprietary design enables unparalleled ventilation with maximum airflow of 100 l/s – surpassing industry standards around the world.

4. TEMPERATURE & HUMIDITY SENSORS

Sensors inside the pod recognizes the temperature and humidity of the office environment, and automatically optimizes the airflow accordingly.

5. AUTOMATIC LIGHTING MODES

Dual adjustable 4000K LED light sources allow you to seamlessly switch between video or work modes – or make manual adjustments for personalized illumination.

6. 8-INCH TOUCHSCREEN
An intuitive, 8-inch highresolution touchscreen
makes it easy to control
pod settings, adjust lighting
and airflow, and extend
calendar reservations
effortlessly.

7. AUTOMATIC UPGRADES

A built-in 4G connection enables automatic overthe-air software updates – initiated instantly and silently in the background.

8. MMWAVE RADAR PRESENCE DETECTION

Millimeter-wave radar sensors immediately detect when someone enters or leaves the pod, allowing lighting and ventilation to adjust accordingly.

Occupancy data is gathered and displayed through Framery Connect to provide information about when the pod is being used the most.


9. FRAMERY CONNECT™

Gain insights from occupancy data, initiate advanced bookability functionalities, and connect your Framery Four to the entire office to get valuable usage data needed to improve the layout and efficiency of your workplace.




Framery Four / Design details

The sleek design and efficient size of Framery Four means it easily fits into any office. The luxurious and spacious interior comes equipped with two comfortable sofas and plenty of table space. The pod's low threshold enables easy access, and the minimalistic design approach uses carefully curated materials, making it a sustainable choice.



Framery Four's interior features a face-to-face layout that is spacious enough to fit four people comfortably. Adjustable lighting and two preset lighting modes optimized for video or focused work create a natural working environment for any task.



The powder-coated exterior panels are made from deepdrawn steel. Matt black aluminum structures create the framing, and sound-control laminated glass finish the structural support. Stylish interior paneling made from sound-absorbing PET material can be easily cleaned and replaced if needed.



The exterior occupancy lights show at a glance whether the pod is available or already taken.



The custom-designed table comfortably accommodates laptops, and built-in power outlets and optional coat hooks support all your office accessories. An optional adjustable monitor arm can be inserted directly into the table leg to support a 27" screen.



The sofas of Framery Four are specially designed to fit four people comfortably. Custom cushions are available for additional comfort and support.



An optional gather zone outside of Framery Four creates an additional meeting area, featuring a convenient add-on rail where a whiteboard or additional display can be attached.



Framery Four / Colors and finishes

EXTERIORS SEATING FABRICS **CARPETS** White **Light Gray** Graphite RAL 9016 Ultramatt Select #60051 Gabriel Ex-dono Quartet #393330 Fletco carpets Dark Blue Dark Blue RAL 9005 Ultramatt Zenith #T371880 Fletco carpets Select #66144 Gabriel Champagne S 7500 - N Ultramatt Zenith #T371210 Fletco carpets Select #61190 Gabriel S 7020 - R90B Ultramatt Zenith #371680 Fletco carpets Select #65117 Gabriel Powder Blue S 2010 - Y20R Ultramatt Select #67098 Gabriel Powder Blue Beige 3421-R86B Ultramatt **TABLE TOPS** Select #61184 Gabriel Winter Moss White S 7010-G10Y Ultramatt Selected #68209 Gabriel White laminate Blush Mustard 2728-R01B Ultramatt Select #62098 Gabriel Black Laminate with anti-fingerprint surface Oak Veneer INTERIORS CUSHIONS **Pure Gray** Charcoal Tonal #60123 Gabriel Capture #5501 Gabriel Arctic Blue Tonal #66185 Gabriel Capture #3301 Gabriel Tonal #61180 Gabriel Tonal #64210 Gabriel

MATERIALS AND FINISHES



EXTERIOR PANELS made from steel feature a powder-coated matt finish. The lightweight panels are joined together seamlessly, with elegant curves that create a timeless design.



INTERIOR PANELS made from highquality and recycled polyester have a vibrant and dynamic look thanks to the mix of the two-colored fabric.



SEATING MATERIALS are a blend of superior New Zealand wool and polyamid that form a soft and rich texture. The extremely durable fabrics are both dirt and water repellant.



CARPET FLOORING is anti-static, stain resistant, and durable, giving the pod an overall soft look and finish.



Framery workplace technology / Set your office up for success

Framery's workplace technology suite streamlines workdays, elevates productivity, and enhances the entire workplace experience. Access real-time occupancy data, make data-driven decisions, book meeting spaces easily, and boost focus, privacy, and productivity throughout the office. Set up your workplace for the people who use it – making it easier than ever to get work done. And you can enjoy these benefits without any deployment costs.









Framery App™

Manage your workday on the go with the Framery app – the easiest way to book pods and meeting spaces for every task throughout your day. Instantly check space availability and save your favorite spaces to see when they're free. Book spaces in advance or on the go directly from your phone, and manage your entire workday in one place.

Framery Office Sound Masking System™

The Framery office sound masking system improves the acoustics of the entire workplace. The embedded system is based on patentpending technology that reduces noise distractions and protects speech privacy in office environments by adding a subtle, unobtrusive background sound outside of the pod. This ambient background noise, similar to air flow, is specifically designed to blend in with the office's noise atmosphere - making sounds less intelligible and therefore less distracting.

Framery Connect™

Make workplace management decisions based on insights from your office's occupancy data. Every connected space provides you with valuable usage data you need to improve the layout and efficiency of your workspace. See which spaces are functioning efficiently, which spaces need attention, and which spaces go unused. With real-time usage data you can provide enough spaces in the right places.

Framery Connect Sensor™

This palm-sized sensor expands the capabilities of Framery Connect – making it possible to collect usage data from any space in your workplace. From meeting rooms to collaborative spaces, the sensor can easily be attached to any space in your office to give you a complete overview of how your office is used. The simple and wireless sensor is equipped with internal 4G connectivity and an external battery boasting a 3-year battery life.

Unparalleled support

Get instant support from a Framery specialist for any issues that may arise with your smart pods or other products.

Always updated

Instantly receive software updates through your smart pod's 4G connection to enable developments and services into the future.

Privacy ensured

No identifiable user data is collected – only workspace occupancy information is tracked.

FRAMERY PLUS - EVERYTHING YOU NEED FOR A SUCCESSFUL WORKPLACE

Unlock all the tools and features your workplace needs to thrive with our subscription based Framery $Plus^{TM}$ – free of charge until the end of 2024.



Framery smart pods / Environmental data sheet

Framery's new smart pods set the standard in sustainability – with durability that is measured in decades, light-weight product structures, use of truly recyclable materials, and modularity that allows the life cycle of the products to be extended indefinitely. Framery participates in the Science Based Targets initiative, and has set emission reduction targets aligned with the goal of limiting global warming to 1.5°C compared to pre-industrial levels. Results of life cycle assessment of Framery products are verified by an independent third party and available in Environmental Product Declarations.



Optimal material use

Framery has achieved a 23% material reduction with it's new line of products – which equals over 1 million kg of raw material annually – while increasing their level of performance compared to previous models. This has made it possible for Framery to reduce product prices as well. The carbon footprint in the manufacturing stage of the new products is 16% smaller on average. A change from plywood to steel as the main construction material also allows Framery to continue reducing its environmental impact and strive towards a 50% reduction in product CO₂ emissions by 2028.



Production and waste management

All our pods are manufactured in Tampere, Finland using zero-emission electricity. Our factory logistics are operated on biogas and renewable diesel. The material efficiency rate of our production was 94.9% in 2022. Virtually no waste goes to landfill.



Environmental impact

We have conducted life cycle assessment studies for our products to measure their environmental impacts. Alongside their carbon footprint, we also study other impacts such as resource depletion and water scarcity. The results are verified by an independent third party, and then published and registered as an EPD to provide stakeholders with reliable information on our products' environmental performance in a transparent way.



Product performance

The modular design of our pods facilitates a long product lifetime, and our customers typically use them for many years. The same pod can be used by one customer after another, enabling multiple life cycles and saving valuable resources. Thanks to their modular design, our pods are easy to disassemble, refurbish if needed, and reassemble at a new location. Our products are GREENGUARD Gold certified, and highly maintainable with easily available spare parts.



Extended life cycles

The most effective way for manufacturers to reduce the environmental impact of their products is to extend their life cycle. The durability of the all-steel structures of Framery's new products is measured in decades. Modular product structures allow the pods to be easily serviced and refurbished, extending their life cycles even further. At the end of their life, the products are fully recyclable as a result of eliminating composite and other hard-to-recycle materials.




Transportation

Logistical hubs in Singapore and the USA reduces air freight, and allows us to load our shipping containers more tightly. The products are made-to-order, and their modularity helps us achieve this with minimal impact.



Framery Four™

Technical specifications



<u>Performance</u>

Speech level reduction: 30dB Max airflow: 100 l/s

Low energy consumption: 52W

Sustainable design

Built to last for decades Light-weight product structures EOL 100% recyclable materials Refurbishable & movable

Connectivity

Built-in 4G connection
Automatic software updates
Framery Connect digital services



Framery Four / Technical specifications

OVERVIEW

Soundproofing CLASS A 30 DS, A (dB) reduction

> Speech level reduction DS,A (dB) is measured using ISO 23351-1. Pod can be placed next to workspaces without compromising privacy.

FRAMERY OFFICE SOUND MASKING Sound masking

> SYSTEM™ A pre-fitted sound masking system improves the soundscape of the office outside the pods with an effective radius of 5 m / 16 ft.

Ventilation MAXIMUM AIRFLOW 100 I/s, 212 CFM

 $(360.2 \text{ m}^3/\text{h})$

DEFAULT AIRFLOW 78 l/s, 165 CFM (280 m³/h) when in use. After use, the pod refreshes itself with a higher ventilation speed. STANDBY MODE 40 l/s, 85 CFM, (144 m³/h) ADJUSTABLE DIRECTIONAL AIRFLOW Choose between direct and indirect airflow

Lighting CEILING LIGHT Color temperature 4000K,

> illuminance up to 500 lux on the table top. VIDEO LIGHT Color temperature 4000K, illuminance up to 350 lux on the user's face. **PRE-SET LIGHTING MODES Standard** mode & Video call mode. Lighting can also be

adjusted also manually.

Presence detection SENSOR TECHNOLOGY mmWave radar

Dimensions EXTERIOR 232.9 × 235.2 × 129.2 cm /

91.7 × 92.6 × 50.9 in (h, w, d)


DOORWAY 209.7 × 96.6 cm / 82.6 × 38 in (h, w)

WEIGHT 520 kg / 1146.4 lb

Built-in 4G with Framery provided SIM card Connectivity

> Wi-Fi 802.11 a/b/g/n/ac 2.4&5 GHz Over-the-air software updates Framery Connect services available

DIMENSIONS / MAIN VIEW















Framery Four shipped in North America is UL 962 listed



Framery Four / Technical specifications

MATERIALS

Exterior & structure EXTERIOR PANELS Powder coated matt

steel panels

FRAMES Structure matt black aluminum

DOOR FRAME Structure matt black aluminum

GLASS Sound control laminated glass

(4 + 4 mm / 0.16 + 0.16 in)

CHASSIS Light steel and PET sound-

absorbing structure

HANDLE Custom-designed black metal

Interior materials INTERIOR PANELS PET sheets laminated

with recycled polyester fabric

INTERIOR PANEL FABRIC Gabriel Select UPHOLSTERY FABRIC Gabriel Tonal CARPET Antistatic and stain resistant low

loop pile carpet

CUSHIONS Gabriel Capture

TABLE Table top is birch plywood laminated with white, black anti-fingerprint, or oak

veneer.

TABLE LEG Structure black metal

Seating materials UPHOLSTERY FABRIC Gabriel Select

FABRIC COMPOSITION 85 % New Zealand

wool / 15 % Polyamide

Furniture dimensions TABLE 70.6 cm \times 90 cm / 27.8 \times 35.4 in (w, d)

MAX LOAD FOR THE TABLE 60 kg / 131 lb SOFA 110 \times 60.5 cm (w, d) / 43.3 in \times 23.8 in MAX LOAD FOR SOFA 408 kg / 900 lb

Optional accessories MONITOR ARM Maximum monitor size 27".

Maximum weight 15 kg / 33 lb with flat VESA 75 \times 75 or VESA 100 \times 100 mounting surface.

Monitor not included.

COAT HOOKS Structure black metal CUSHIONS Gabriel Capture - 85 % New

Zealand wool / 15 % Polyamide

 $\textbf{EXTERIOR TABLET MOUNT} \ \text{With easy set-up.}$

SAFETY

Fire safety No fire hazardous materials are used in

Framery pods. The fire safety of all surface materials, upholstery and acoustics materials of our products are tested and classified by either national or international standards. Framery provides additional safety


measurements to adhere to local regulatory

requirements.

Seismic safety A seismic anchoring kit for a pod is available

for the seismic regions. The kit consists of brackets that further reinforce the pod structure to withstand heavy seismic forces.

DIMENSIONS / TOP VIEW





Framery Four / Technical specifications

POWER AND SPACE REQUIREMENTS

Power FRAMERY FOUR ESSENTIALS OUTLETS

2 × under-table power outlets, 2 × USB-C PD

charge ports (65 W)

Optional: 2 × under-table power outlets

(included with the monitor arm)

Optional in-table outlets (max. 2): 0-1 x HDMI

port, $0-2 \times LAN$ ports (with cables)

FRAMERY FOUR LITE OUTLETS

2 × under-table power outlets

Optional: 2 × under-table power outlets

(included with the monitor arm)

Optional in-table outlets (max 4): $0-2 \times USB-C$ PD charge ports (65 W), $0-1 \times HDMI$ port, 0-4

× LAN ports (with cables)

The location of power outlets may vary based on country regulations.

POWER CONSUMPTION

Default settings 52W. Highest settings 115W. Standby mode 20W.

INPUT 100-240 VAC, 10 A, 50-60 Hz

OUTPUT AC (POWER OUTLET) 100-240 VAC (8 A max) 50-60 Hz

OUTPUT USB-C PD CHARGE PORT 65W

Space requirements DOOR OPENING RATIO 180°

Door handedness Left-handed by default

(can also be installed right-handed)

Operating space $238 \times 236 \times 226 \text{ cm} / 93.7 \times 92.9 \times 88.9 \text{ in}$

(h, w, d).

SHIPPING CRATE DIMENSIONS

Crate 1 SIZE 224 × 74 × 114 cm / 88.2 × 29.1 × 44.9 in


WEIGHT 395 kg / 870.8 lb

Crate 2 SIZE $226 \times 75 \times 137,5 \text{ cm} / 89 \times 29.5 \times 54.1 \text{ in}$


WEIGHT 238 kg / 524.7 lb

Crates 1 and 2 can be stacked.

DIMENSIONS / POWER CORD SPECIFICATIONS



DIMENSIONS / OPERATING SPACE





For the doers, leaders, thinkers, dreamers, creators, teams, pioneers and innovators.
For people who get it done.

